

AMA AND CHRONIC INFLAMMATION: BRIDGING AYURVEDIC CONCEPTS WITH MODERN PATHOPHYSIOLOGY

Dr. G. Vinay Mohan^{*1}, Dr. Girishkumar S. Dharmannavar², Dr. Prajakta Ransing³

¹Professor and HOD, Department of Kayachikitsa, SSRAM &H, Inchal, Belagavi Dist.Soundatti Taluka, Karnataka India.

²Associate professor, Department of Kayachikitsa, SSRAM &H, Inchal, Belagavi Dist.Soundatti Taluka, Karnataka India.

³PG Scholar Department of Kayachikitsa, SSRAM &H, Inchal, Belagavi Dist.Soundatti Taluka, Karnataka India.

Article Received: 18 July 2026 | Article Revised: 08 August 2026 | Article Accepted: 28 August 2026

***Corresponding Author: Dr. G. Vinay Mohan**

Professor and HOD, Department of Kayachikitsa, SSRAM &H, Inchal, Belagavi Dist.Soundatti Taluka, Karnataka India.

DOI: <https://doi.org/10.5281/zenodo.23212437>

How to cite this Article: Dr. G. Vinay Mohan, Dr. Girishkumar S. Dharmannavar, Dr. Prajakta Ransing (2026) AMA AND CHRONIC INFLAMMATION: BRIDGING AYURVEDIC CONCEPTS WITH MODERN PATHOPHYSIOLOGY. World Journal of Pharmaceutical Science and Research, 5(8), 890-902.



Copyright © 2026 Dr. G. Vinay Mohan | World Journal of Pharmaceutical Science and Research.

This work is licensed under creative Commons Attribution-NonCommercial 4.0 International license (CC BY-NC 4.0).

ABSTRACT

Ama is an Ayurvedic concept describing inadequately processed metabolic material produced by impaired Agni, contributing to channel obstruction and tissue dysfunction. It shares conceptual similarities with chronic inflammatory mechanisms such as metabolic endotoxemia, intestinal-barrier dysfunction, oxidative stress, and persistent immune activation, although it cannot be equated with any single biomarker. Ayurvedic management emphasizes restoring Agni and eliminating Ama through Langhana, Deepana, Pachana, Shodhana, and lifestyle modification. This review explores these conceptual links while emphasizing the need for validated assessment methods and rigorous clinical research.

KEYWORDS: Ama; Agni; chronic inflammation; oxidative stress; metabolic endotoxemia; intestinal permeability; immune dysregulation; Ayurveda; integrative medicine.

INTRODUCTION

Inflammation is a coordinated protective response to infection, injury, or harmful stimuli that promotes pathogen elimination and tissue repair. Acute inflammation is generally self-limiting; however, failure of resolution may lead to persistent immune activation and chronic tissue damage. Chronic low-grade inflammation is associated with metabolic syndrome, cardiovascular disease, diabetes mellitus, chronic kidney disease, neurodegenerative disorders, autoimmune conditions, and certain cancers.^[1] It is influenced by genetic susceptibility, ageing, obesity, poor diet, physical inactivity, psychological stress, disturbed sleep, environmental exposures, and alterations in the intestinal microbiota.^[1]

At the molecular level, chronic inflammation involves sustained activation of immune cells and signalling pathways, with increased production of pro-inflammatory cytokines, chemokines, reactive oxygen species, and other mediators. Oxidative stress and inflammation can reinforce each other: reactive oxygen species activate inflammatory pathways, while activated immune cells generate additional reactive species, thereby promoting cellular dysfunction and tissue injury.^[2,3] Disturbance of the intestinal barrier may also permit microbial components such as lipopolysaccharide to enter the circulation and stimulate low-grade systemic inflammation, a process described as metabolic endotoxemia.^[4]

Ayurveda places *Agni*—the collective principle governing digestion, transformation, assimilation, and metabolism—at the centre of health and disease. Impairment of *Agni*, particularly *Mandagni*, is considered an important cause of *Ama* formation.^[5] *Ama* is described as an inadequately processed, heavy, sticky, and obstructive pathological material that cannot be properly assimilated or eliminated. It may interact with the *Doshas*, circulate through the body, obstruct physiological channels, and localize in vulnerable tissues, contributing to the initiation or progression of disease.^[6]

Clinically, *Ama* is associated with loss of appetite, indigestion, heaviness, lethargy, coated tongue, body ache, disturbed elimination, and obstruction of normal physiological functions. Its presentation varies according to the involved *Dosha*, tissue, channel, and disease stage. Ayurvedic management therefore emphasizes correction of *Agni*, digestion of *Ama*, restoration of unobstructed physiological transport, and prevention of recurrence through *Langhana*, *Deepana*, *Pachana*, selected *Shodhana* procedures, dietary regulation, and lifestyle modification.

Possible conceptual parallels can be proposed between *Ama*-related pathogenesis and contemporary mechanisms such as impaired metabolism, microbial dysbiosis, intestinal-barrier dysfunction, metabolic endotoxemia, oxidative stress, accumulation of damaged cellular components, and persistent immune activation. However, *Ama* cannot currently be equated with a single toxin, metabolite, inflammatory cytokine, or laboratory biomarker. It is a multidimensional Ayurvedic construct derived from a distinct theoretical and clinical framework.

The present review examines the Ayurvedic concepts of *Agni* and *Ama*, outlines the mechanisms underlying chronic inflammation, and explores areas of possible conceptual convergence between the two systems. It also identifies limitations in the available evidence and highlights the need for operational definitions, validated *Ama* assessment tools, biomarker-based studies, and clinically rigorous interdisciplinary research.

Aim: To explore the Ayurvedic concept of *Ama* and examine its possible relationship with the mechanisms underlying chronic inflammation.

Methodology: Classical Ayurvedic literature and contemporary scientific studies concerning *Ama*, *Agni*, immune dysregulation, oxidative stress, intestinal permeability, and chronic inflammation were narratively reviewed.

Concept of *Ama* in Ayurveda

Ama is a fundamental Ayurvedic concept used to explain the development and progression of many diseases. It is generally understood as an inadequately processed product of digestion or metabolism that forms when *Agni* becomes weak, irregular, or otherwise disturbed. Because it is not properly transformed, assimilated, or eliminated, *Ama* acquires pathological properties and interferes with normal physiological functions.

The term *Ama* does not denote a single chemical toxin or measurable substance. It represents a multidimensional pathological state involving impaired digestion, defective tissue metabolism, accumulation of incompletely processed material, disturbed transport, and reduced elimination. Its nature and clinical expression may vary according to the affected *Dosha*, *Dhatu*, *Srotas*, and organ system.

Concept of Agni

Agni represents the biological capacity for digestion, transformation, absorption, assimilation, and metabolism. It operates at gastrointestinal, elemental, and tissue levels. Balanced *Agni* supports nourishment, strength, immunity, complexion, vitality, and proper waste elimination.

Four functional states of *Agni* are commonly described:

- **Samagni:** Balanced digestion and metabolism
- **Mandagni:** Weak or slow digestive activity
- **Tikshnagni:** Excessively intense digestive activity
- **Vishamagni:** Irregular and unpredictable digestion

Mandagni is considered a major cause of *Ama*, although prolonged *Vishamagni* or disturbed *Tikshnagni* may also impair normal tissue nourishment and metabolic regulation. When food is not properly digested, the resulting material may undergo abnormal transformation, disturb the *Doshas*, and initiate disease.

Types and Levels of Ama

Ama may develop at different levels of the body.

Amashaya-Generated Ama

This form originates primarily in the gastrointestinal tract because of weak digestion. It is associated with heaviness, abdominal discomfort, reduced appetite, indigestion, nausea, coated tongue, abnormal bowel habits, and lethargy.

Dhatu-Level Ama

Even when primary digestion appears adequate, impaired *Dhatvagni* may prevent proper transformation of nutrients at the tissue level. This can produce poorly formed or dysfunctional tissues and metabolic waste that is not efficiently processed or eliminated.

Dosha-Associated Ama

When *Ama* combines with aggravated *Doshas*, it forms *Sama Dosha*. Its clinical features vary according to the associated *Dosha*:

- *Sama Vata* may cause pain, stiffness, constipation, reduced movement, and abdominal discomfort.
- *Sama Pitta* may produce foul smell, burning, altered digestion, and inflammatory manifestations.
- *Sama Kapha* may cause heaviness, excessive mucus, lethargy, loss of appetite, and obstruction.

This distinction is clinically important because strong *Dosha*-pacifying or nourishing therapies may be inappropriate until *Ama* has been reduced.

Properties of Ama

Ama is traditionally described as:

- Heavy
- Sticky or adherent
- Unprocessed
- Foul-smelling
- Obstructive
- Difficult to eliminate
- Capable of disturbing tissues and channels
- Associated with weakness of digestion and metabolism

These properties help explain why *Ama* is believed to obstruct *Srotas*, impair tissue nourishment, disturb the movement of *Vata*, and create suitable conditions for chronic disease.

Causes of Ama Formation

The development of *Ama* is influenced by dietary, behavioural, environmental, and psychological factors. Important causes include:

- Overeating or eating before the previous meal is digested
- Irregular meal timing
- Excessive intake of heavy, oily, stale, incompatible, or highly processed food
- Eating too quickly or without attention
- Excessive consumption of cold food and drinks
- Poor-quality or contaminated food
- Sedentary behaviour and lack of physical activity
- Daytime sleep, particularly after heavy meals
- Inadequate sleep and irregular daily routines
- Suppression of natural urges
- Chronic stress, grief, fear, anger, or anxiety
- Eating during intense emotional disturbance
- Long-term illness and reduced tissue metabolism
- Individual constitutional susceptibility

Ayurveda therefore regards *Ama* formation as more than a dietary problem. It may arise from the interaction of impaired digestive capacity, unsuitable intake, disturbed lifestyle, emotional stress, and reduced elimination.

Samprapti of Ama

The pathogenesis begins with disturbance of *Agni*. Food and metabolic substrates are then inadequately transformed, producing *Ama*. This material may remain in the gastrointestinal tract or combine with aggravated *Doshas* and circulate through the body.

When *Ama* reaches a tissue or channel with pre-existing weakness, known as *Khavaigunya*, it may become localized. Localization obstructs physiological transport, impairs tissue metabolism, and disturbs the normal functions of the affected organ. Persistent *Ama*, together with aggravated *Doshas*, may contribute to recurrent symptoms, tissue damage, and chronic disease.

The general sequence can be summarized as:

1. Exposure to causative dietary or lifestyle factors
2. Impairment of *Agni*
3. Incomplete digestion or metabolic transformation
4. Formation of *Ama*
5. Association with aggravated *Doshas*
6. Circulation through physiological channels
7. Localization in a susceptible tissue
8. Obstruction, dysfunction, and disease manifestation

Clinical Features of Ama

Common manifestations associated with *Ama* include:

- Loss of appetite
- Indigestion and abdominal discomfort
- Coated tongue
- Unpleasant taste or smell
- Heaviness of the body
- Lethargy and reduced enthusiasm
- Body ache or joint discomfort
- Excessive salivation or mucus
- Constipation, loose stools, or incomplete evacuation
- Mental dullness and poor concentration
- Stiffness and restricted movement
- Symptoms that worsen after heavy meals
- Obstruction of normal bodily functions

No single symptom confirms the presence of *Ama*. Ayurvedic assessment considers the overall pattern, including digestive capacity, tongue coating, bowel habits, appetite, strength, *Dosha* involvement, and systemic manifestations.

Modern Understanding of Chronic Inflammation

Inflammation is a normal defence mechanism activated in response to infection, trauma, toxins, or cellular injury. Acute inflammation is generally rapid and self-limiting. It helps eliminate harmful stimuli and initiates tissue repair. After the threat is controlled, specialized mechanisms normally resolve the inflammatory response.

Chronic inflammation develops when the initiating stimulus persists, regulatory mechanisms fail, or repeated inflammatory episodes prevent complete resolution. It may remain clinically silent for years while gradually contributing to metabolic dysfunction and tissue damage.

Cellular and Molecular Mechanisms

Chronic inflammation involves interactions among macrophages, neutrophils, lymphocytes, endothelial cells, fibroblasts, adipocytes, and tissue-resident immune cells. These cells release cytokines, chemokines, enzymes, lipid mediators, and reactive oxygen species.

Important processes include:

- Persistent activation of innate immunity
- Altered adaptive immune responses
- Excessive production of inflammatory cytokines
- Activation of transcription factors such as NF- κ B
- Inflammasome activation
- Mitochondrial dysfunction
- Oxidative and nitrosative stress
- Abnormal tissue repair and fibrosis
- Failure of inflammation-resolution mechanisms
- Metabolic reprogramming of immune cells

These mechanisms can sustain inflammation even after the original trigger has diminished.

Oxidative Stress

Oxidative stress occurs when the production of reactive oxygen species exceeds the body's antioxidant and repair capacity. Reactive species can damage lipids, proteins, cellular membranes, mitochondria, and genetic material.

Oxidative stress activates inflammatory pathways, while inflammatory immune cells generate additional reactive species. This bidirectional relationship may create a self-perpetuating cycle of inflammation, cellular damage, and further immune activation.

Gut Microbiota and Intestinal Permeability

The intestinal microbiota contributes to digestion, vitamin production, immune development, and maintenance of the intestinal barrier. Dietary imbalance, infection, stress, medication exposure, and other factors may disturb the composition or function of this microbial ecosystem.

Damage to the intestinal barrier may allow microbial products to enter the circulation. Lipopolysaccharide and other microbial molecules can activate pattern-recognition receptors and stimulate inflammatory cytokine production. Persistent low-level exposure to such molecules is described as metabolic endotoxemia and has been investigated in relation to obesity, insulin resistance, fatty liver disease, and cardiovascular risk.

Adipose Tissue Inflammation

Adipose tissue is an active endocrine and immune organ. Excessive fat accumulation, particularly visceral fat, can produce cellular stress, hypoxia, and altered secretion of adipokines. Immune cells accumulate within dysfunctional adipose tissue and release inflammatory mediators.

This chronic low-grade inflammatory state may interfere with insulin signalling, lipid metabolism, vascular function, and organ health. It helps explain the association between obesity and several chronic non-communicable diseases.

Cellular Waste and Damage Signals

Damaged or stressed cells release internal molecules known as damage-associated molecular patterns. These molecules activate immune receptors and promote inflammation. Inefficient autophagy, impaired mitochondrial quality control, cellular senescence, and reduced clearance of damaged components may therefore contribute to persistent inflammatory activity.

Senescent cells may remain metabolically active and secrete inflammatory mediators. Their accumulation during ageing has been associated with chronic inflammation and progressive tissue dysfunction.

Conceptual Relationship Between Ama and Chronic Inflammation

Several conceptual similarities can be explored between *Ama*-related pathogenesis and modern mechanisms of chronic inflammation. These similarities can support research questions, but they do not demonstrate that the concepts are biologically identical.

Impaired Agni and Metabolic Dysfunction

Impaired *Agni* represents defective digestion, assimilation, and transformation. Modern metabolic dysfunction may include altered glucose regulation, lipid accumulation, mitochondrial impairment, insulin resistance, and disturbed cellular energy production.

Both frameworks recognize that abnormal processing of nutritional or metabolic substrates can contribute to systemic disease. Nevertheless, *Agni* is a broader functional concept and cannot be reduced to a single enzyme, organ, or metabolic pathway.

Ama and Incompletely Processed Material

Aama is described as poorly processed material that accumulates because it cannot be assimilated or eliminated appropriately. Possible modern areas for comparison include:

- Undigested or malabsorbed dietary components
- Microbial metabolites
- Advanced glycation products
- Oxidized lipids
- Misfolded or damaged proteins
- Cellular debris
- Dysfunctional organelles
- Metabolic intermediates
- Circulating microbial products

These substances may participate in inflammation, but none should be independently labelled as *Ama*. The Ayurvedic construct encompasses functional, systemic, and clinical dimensions beyond any individual molecule.

Srotorodha and Disturbed Biological Transport

Srotorodha refers to obstruction or impairment of physiological channels. In biomedical terms, possible comparisons may include microvascular dysfunction, lymphatic impairment, altered membrane transport, extracellular-matrix accumulation, biliary obstruction, impaired cellular trafficking, or disrupted intercellular communication.

Such comparisons are theoretical. Ayurvedic *Srotas* are functional pathways and are not always identical to anatomically defined vessels or ducts.

Ama–Dosha Interaction and Immune Activation

Ayurveda proposes that *Ama* interacts with the *Doshas*, altering its localization and clinical expression. Modern inflammation is similarly shaped by interactions among harmful stimuli, host susceptibility, immune regulation, metabolism, and tissue-specific factors.

The same inflammatory trigger may produce different clinical outcomes depending on genetics, age, metabolic status, microbiota, previous tissue damage, and environmental exposure. This resembles the Ayurvedic principle that disease manifestation depends on *Dosha*, *Dushya*, *Agni*, *Srotas*, constitution, and tissue susceptibility.

Khavaigunya and Tissue Susceptibility

Khavaigunya refers to weakness or vulnerability within a tissue or physiological channel that allows aggravated *Dosha* and *Ama* to localize. Modern pathophysiology also recognizes that systemic processes do not affect all tissues equally. Previous injury, genetic variation, mechanical stress, receptor expression, local immune conditions, and reduced repair capacity may create tissue-specific susceptibility.

This parallel is especially useful for explaining why a generalized metabolic or inflammatory disturbance may manifest predominantly in the joints, skin, intestine, liver, or nervous system.

Ama and Biomarkers

Inflammatory biomarkers such as C-reactive protein, erythrocyte sedimentation rate, interleukins, tumour necrosis factor, oxidative-stress markers, lipopolysaccharide-binding proteins, and metabolic indicators may help characterize selected components of chronic inflammation.

However, no validated biomarker currently diagnoses *Ama*. A person may show Ayurvedic features of *Ama* without elevated conventional inflammatory markers, and elevated markers may occur without the full Ayurvedic pattern. Research should therefore investigate relationships between standardized *Ama* assessments and panels of biomarkers instead of searching for a single direct equivalent.

Ama in Chronic Disorders

Ama-related mechanisms are considered relevant in several Ayurvedic disease processes.

Amavata

Amavata illustrates the combination of *Ama* with aggravated *Vata*, producing pain, swelling, stiffness, heaviness, and impaired movement. It is often compared with rheumatoid arthritis because of certain clinical similarities. Nevertheless, rheumatoid arthritis is a defined autoimmune disease, whereas *Amavata* belongs to a distinct Ayurvedic diagnostic framework.

Metabolic Disorders

Impaired *Agni*, accumulation of *Ama*, altered fat metabolism, and channel obstruction may be considered in the Ayurvedic understanding of obesity, diabetes-related conditions, and dyslipidaemia. Modern research identifies adipose inflammation, insulin resistance, oxidative stress, and gut-derived inflammatory signals as important mechanisms in these disorders.

Gastrointestinal Disorders

Disturbed digestion, altered bowel function, abdominal heaviness, and systemic symptoms are central to many *Ama*-associated presentations. Modern gastrointestinal research similarly examines dysbiosis, barrier dysfunction, microbial metabolites, immune activation, and abnormal motility.

Cardiovascular and Neurodegenerative Conditions

Chronic inflammation, oxidative stress, endothelial dysfunction, and metabolic abnormalities contribute to cardiovascular and neurodegenerative diseases. Ayurvedic interpretations may involve impaired *Agni*, *Ama*, *Srotorodha*, and tissue-specific *Dosha* disturbances. These interpretations remain hypothesis-generating and require disease-specific clinical validation.

Ayurvedic Management Principles

Management depends on disease stage, patient strength, *Dosha* involvement, digestive capacity, and the location of *Ama*. The general objectives are to reduce the causes of *Ama*, restore *Agni*, digest accumulated *Ama*, clear obstructed channels, normalize *Dosha* movement, and prevent recurrence.

Nidana Parivarjana

Avoidance of causative factors is the first principle. This may include correction of overeating, irregular meals, unsuitable food combinations, sedentary behaviour, sleep disturbance, and chronic psychological stress.

Langhana

Langhana refers to lightening measures that reduce metabolic burden and support digestive recovery. It does not always mean complete fasting. Depending on individual strength, it may involve lighter meals, reduced portion size, easily digestible food, or carefully supervised fasting.

Excessive restriction may worsen weakness, nutritional deficiency, or *Vata*. It is unsuitable for children, frail older adults, pregnant individuals, and patients with certain medical conditions unless professionally supervised.

Deepana and Pachana

Deepana measures stimulate appetite and digestive capacity, whereas *Pachana* measures are intended to process or reduce *Ama*. Herbs and spices with warming or digestive properties may be used according to constitution and disease state.

The same substances are not appropriate for every individual. Strong heating agents may aggravate acidity, inflammatory gastrointestinal conditions, bleeding tendencies, or *Pitta*-dominant symptoms.

Shodhana

When the patient has adequate strength and appropriate indications, selected purification procedures may be employed to remove aggravated *Doshas* and associated *Ama*. Procedures such as therapeutic emesis, purgation, medicated enema, or other interventions require careful preparation, patient selection, monitoring, and post-procedure dietary management.

These procedures should not be attempted without qualified clinical supervision.

Diet and Daily Routine

Dietary management emphasizes freshly prepared, warm, light, and digestible food during an *Ama*-dominant stage. Meal timing should be regular, and the quantity should reflect actual digestive capacity.

General measures may include:

- Avoiding overeating and repeated snacking
- Allowing adequate time between meals
- Limiting stale and highly processed food
- Reducing excessive sugar and unsuitable fats
- Consuming adequate fibre when appropriate
- Maintaining hydration
- Eating attentively and in a calm environment
- Supporting regular bowel habits
- Engaging in appropriate physical activity
- Maintaining consistent sleep and waking times

Recommendations must be individualized for medical conditions such as diabetes, kidney disease, inflammatory bowel disease, pregnancy, and eating disorders.

Exercise and Stress Regulation

Moderate exercise can support metabolic health, circulation, insulin sensitivity, bowel function, and emotional well-being. Excessive exercise during acute illness, weakness, or an active *Ama* state may be counterproductive.

Yoga, breathing exercises, meditation, and relaxation practices may help reduce stress-related eating, sleep disturbance, and neuroimmune activation. These measures may complement, but should not replace, medical management of established inflammatory disease.

Research Challenges

Research connecting *Ama* with chronic inflammation faces several methodological challenges:

- Absence of a universally accepted operational definition of *Ama*
- Variation in classical interpretation and clinical assessment
- Limited validation of diagnostic questionnaires
- Dependence on subjective symptoms and physician judgment
- Heterogeneity among patients with the same biomedical diagnosis
- Lack of standardized interventions
- Difficulty separating effects of diet, herbs, procedures, and lifestyle
- Inadequate adverse-event reporting
- Risk of forcing one traditional concept into a single biomedical mechanism

Future studies should develop reliable assessment tools and evaluate inter-rater agreement among Ayurvedic clinicians. Participants may be stratified according to *Ama* severity and compared using inflammatory, metabolic, oxidative-stress, microbiome, and intestinal-permeability markers.

Longitudinal studies could examine whether changes in Ayurvedic *Ama* scores correspond with changes in clinical symptoms and biomarker profiles. Multi-omics approaches may help identify patterns across metabolites, proteins, microbial composition, and immune signalling. Such work should preserve the complexity of the Ayurvedic construct rather than assuming a predetermined biomedical equivalent.

Safety and Clinical Integration

Chronic inflammation can arise from infection, autoimmune disease, malignancy, metabolic disorders, or other serious conditions. Symptoms attributed to *Ama* should therefore not be used to delay diagnostic evaluation.

Persistent fever, unexplained weight loss, severe fatigue, blood in the stool, prolonged joint swelling, progressive weakness, chest pain, or other alarming symptoms require prompt medical assessment. Ayurvedic management should be integrated with appropriate diagnosis, laboratory testing, and conventional treatment when indicated.

Herbal formulations may interact with anticoagulants, antidiabetic medicines, immunosuppressants, antihypertensive drugs, and other therapies. Product quality, contamination, dosage, liver and kidney function, pregnancy, and comorbidities must be considered.

DISCUSSION

The Ayurvedic concept of *Ama* offers a systems-oriented explanation for disease processes arising from impaired digestion, disturbed metabolism, inadequate elimination, and obstruction of physiological pathways. Chronic inflammation is similarly understood as a complex network involving persistent immune activation, metabolic dysfunction, oxidative stress, and defective resolution. Inflammation is physiologically protective, but prolonged activation can contribute to progressive cellular and tissue damage.⁷ Therefore, both frameworks emphasize that disruption of normal regulatory processes can convert an initially adaptive response into a chronic pathological state.

A significant point of convergence is the relationship between metabolism and immunity. Modern immunometabolism demonstrates that nutritional excess, metabolic stress, and altered cellular energy pathways can influence immune-cell activation. Chronic metabolic inflammation, or “metaflammation,” is particularly relevant to obesity, insulin resistance, type 2 diabetes, and cardiovascular disease.⁸ This resembles the Ayurvedic proposition that impaired *Agni* leads to defective transformation and *Ama* formation, which subsequently disturbs the *Doshas*, obstructs the *Srotas*, and affects susceptible tissues. However, *Agni* is a broader functional principle and should not be reduced to any single metabolic pathway.

Intestinal-barrier dysfunction provides another potential area of comparison. Increased intestinal permeability may permit bacterial products, including lipopolysaccharide, to enter the circulation and activate innate immune pathways. Experimental research has demonstrated that metabolic endotoxemia can initiate low-grade inflammation and contribute to obesity and insulin resistance.⁹ These mechanisms show conceptual similarities to the Ayurvedic description of improperly processed material entering circulation and producing systemic effects. Nevertheless, lipopolysaccharide represents a specific microbial molecule, whereas *Ama* is a multidimensional clinical construct; therefore, metabolic endotoxemia should be regarded as one possible research model rather than a direct equivalent of *Ama*.

Oxidative stress may also participate in the proposed relationship between *Ama* and chronic inflammation. Reactive oxygen species can activate inflammatory pathways and damage cellular components, while inflammatory cells generate additional reactive species.¹⁰ This reciprocal relationship may sustain tissue injury and impair metabolic regulation. Ayurvedic descriptions of obstruction, tissue dysfunction, and progressive disease associated with *Ama* may conceptually overlap with these effects, but oxidative stress alone cannot explain the complete Ayurvedic construct.

The clinical manifestations attributed to *Ama*, including loss of appetite, coated tongue, heaviness, fatigue, body ache, altered bowel habits, and mental dullness, are non-specific. Similar symptoms may occur in metabolic, gastrointestinal, infectious, autoimmune, endocrine, or psychological conditions. Consequently, the diagnosis of *Ama* should not replace appropriate biomedical investigation. A standardized assessment system is necessary to distinguish *Ama*-dominant presentations, evaluate agreement among Ayurvedic clinicians, and determine whether *Ama* scores correlate with inflammatory or metabolic biomarkers.

Lifestyle factors further support a cautious integrative interpretation. Poor-quality diet, physical inactivity, obesity, psychological stress, and disturbed sleep can promote systemic inflammation.^{11,12} Ayurveda similarly identifies irregular meals, overeating, sedentary behaviour, suppression of natural urges, emotional disturbance, and inappropriate sleep as causes of *Agni* dysfunction and *Ama* formation. Thus, dietary regulation, appropriate physical activity, stress management, and adequate sleep may be relevant within both frameworks, even though their theoretical explanations differ.

Ayurvedic management aims to restore *Agni*, reduce *Ama*, clear obstructed channels, and prevent recurrence. *Langhana*, *Deepana*, *Pachana*, selected *Shodhana* procedures, dietary correction, and lifestyle modification are chosen according to patient strength, disease stage, and *Dosha* involvement. These interventions require systematic evaluation because combined treatment packages make it difficult to identify the effects of individual components. Strong

digestive herbs, fasting, and purification procedures may also be unsuitable for individuals with frailty, nutritional deficiency, pregnancy, gastrointestinal disease, or serious systemic illness.

The principal limitation in bridging *Ama* with chronic inflammation is the risk of false equivalence. *Ama* cannot presently be identified as endotoxin, undigested food, free radicals, inflammatory cytokines, or cellular waste alone. Future studies should employ validated *Ama* assessment tools alongside panels of inflammatory, metabolic, oxidative-stress, intestinal-permeability, and microbiome indicators. Longitudinal studies should investigate whether reductions in *Ama* scores correspond with clinically meaningful changes in symptoms and biological markers. Such research may clarify areas of convergence while preserving the conceptual integrity of both Ayurveda and modern pathophysiology.

CONCLUSION

Ama is a complex Ayurvedic construct associated with impaired *Agni*, defective transformation, obstruction of physiological channels, altered tissue function, and disease progression. Chronic inflammation involves persistent immune activation, metabolic disturbance, oxidative stress, intestinal-barrier dysfunction, and impaired cellular repair. These frameworks demonstrate potentially useful areas of conceptual convergence, particularly regarding digestion, metabolism, barrier integrity, biological transport, and tissue susceptibility.

However, *Ama* should not be directly equated with chronic inflammation, endotoxin, oxidative stress, or any single biomarker. Its scientific investigation requires clearly defined diagnostic criteria, validated assessment instruments, biomarker-based studies, and interdisciplinary collaboration. A cautious integrative approach can generate testable hypotheses while respecting the distinct principles of Ayurvedic and contemporary biomedical knowledge.

REFERENCES

1. Furman D, Campisi J, Verdin E, et al. Chronic inflammation in the etiology of disease across the life span. *Nat Med*, 2019; 25(12): 1822–1832.
2. Khansari N, Shakiba Y, Mahmoudi M. Chronic inflammation and oxidative stress as a major cause of age-related diseases and cancer. *Recent Pat Inflamm Allergy Drug Discov*, 2009; 3(1): 73–80.
3. Lingappan K. NF- κ B in oxidative stress. *Curr Opin Toxicol*, 2018; 7: 81–86.
4. Mohammad S, Thiemermann C. Role of metabolic endotoxemia in systemic inflammation and potential interventions. *Front Immunol*, 2021; 11: 594150.
5. Agrawal AK, Yadav CR, Meena MS. Physiological aspects of *Agni*. *Ayu*, 2010; 31(3): 395–398.
6. Manohar PR. Critical review and validation of the concept of *Āma*. *Anc Sci Life*, 2012; 32(2): 67–68.
7. Medzhitov R. Origin and physiological roles of inflammation. *Nature*, 2008; 454(7203): 428–435.
8. Hotamisligil GS. Inflammation and metabolic disorders. *Nature*, 2006; 444(7121): 860–867.
9. Cani PD, Amar J, Iglesias MA, et al. Metabolic endotoxemia initiates obesity and insulin resistance. *Diabetes*, 2007; 56(7): 1761–1772.
10. Reuter S, Gupta SC, Chaturvedi MM, Aggarwal BB. Oxidative stress, inflammation, and cancer: how are they linked? *Free Radic Biol Med*, 2010; 49(11): 1603–1616.
11. Calder PC, Bosco N, Bourdet-Sicard R, et al. Health relevance of the modification of low-grade inflammation in ageing and the role of nutrition. *Ageing Res Rev*, 2017; 40: 95–119.
12. Irwin MR. Why sleep is important for health: a psychoneuroimmunology perspective. *Annu Rev Psychol*, 2015; 66: 143–172.